Printed Page:- 03		-	oject Code:- ACSE0514 / ACSEH0514
		ROI.	1. INO.
N	OID	الـــــا DA INSTITUTE OF ENGINEERING AND	TECHNOLOGY, GREATER NOIDA
1,		(An Autonomous Institute Affiliat	
		B.Tech	
		SEM: V - THEORY EXAMINA	,
Time	2 1	Subject: Design F Hours	Patterns Max. Marks: 100
			Max. Marks. 100
General Instructions: IMP: Verify that you have received the question p			r with the correct course, code, branch etc.
		estion paper comprises of three Sections -A,	
		(MCQ's) & Subjective type questions.	
		m marks for each question are indicated on	
		e your answers with neat sketches wherever suitable data if necessary.	r necessary.
		bly, write the answers in sequential order.	
-		t should be left blank. Any written material	after a blank sheet will not be
		checked.	
<u>SECT</u>			20
1. Atte	mpt a	all parts:-	
1-a.		In the following patterns which one is concerbjects. (CO1, K1)	erned with communication between 1
	(a)	J2EE Design Patterns	
	(b)	Behavioral Design Patterns) >
	(c)	Creational Design Pattern	
	(d)	Structural Design Patterns	
1-b.	M	MVC stands for (CO1, K1)	1
	(a)	Mock View Controller	
	(b)	Model View Controller	
	(c)	Mock view Class	
	(d)	Model View Class	
1-c.		Choose which mechanism is applied to use a	a design pattern in an OO system.
		(CO2, K1)	
	(a)	Inheritance	
	(b)	•	
	(c)	Both a and b.	
	(d)	None of the mentioned above	
1-d.	T	The number of objects in the Singleton response.	onsible for creation . (CO2, K1)
	(a)	one	

	(b)	two				
	(c)	NONE				
	(d)	three				
1-e.	C	hoose correct statement for Builder pattern from the following.(CO3,K1)	1			
	(a) appı	(a) This pattern builds a complex object using simple objects and using a step by step approach.				
	(b)	This pattern refers to creating duplicate object while keeping performance in mind	•			
	(c)	This pattern is used when creation of object directly is costly.				
	(d) imp	This pattern is used when we need to decouple an abstraction from its lementation so that the two can vary independently.				
1-f.	aı	hoose from the patterns given below that hides the complexities of the system and provides an interface to the client using which the client can access the system CO3,K1)	1			
	(a)	Composite Pattern				
	(b)	Facade Pattern				
	(c)	Flyweight Pattern				
	(d)	Decorator Pattern				
1-g.		Choose design pattern that works on data and action taken based on data provided.(CO4,K1)				
	(a)	Command Pattern				
	(b)	Singleton Pattern				
	(c)	MVC Pattern				
	(d)	Façade Pattern				
1-h.		Choose design pattern that defines one-to-many dependency among objects (CO4,K1)				
	(a)	Singleton Pattern				
	(b)	Façade Pattern				
	(c)	Observer Pattern				
	(d)	(d) Factory Method Pattern				
1-i.	W	What is the starting point of Strategic Intent ?(CO5,K2)				
	(a)	Vision				
	(b)	Goals				
	(c)	Objectives				
	(d)	Mission				
1-j.	P	attern prevents one from creating more than one instance of a variable(CO5,K1)	1			
	(a)	Factory Method				
	(b)	Singleton				
	(c)	Observer				
	(d)	None of the mentioned				

2. Atter	npt all parts:-	
2.a.	Explain Gang of Four (GOF) in Design Patterns. (CO1,K1)	2
2.b.	Write about applicability of the abstract factory design pattern. (CO2,K2)	2
2.c.	Explain the applicability of the decorator pattern. (CO3,K2)	2
2.d.	Explain the process of invoking object in Command Pattern. (CO4, K2)	2
2.e.	Mention the benefits of the Visitor and template design patterns. (CO5,K2)	2
SECTI	ON-B	30
3. Ansv	ver any <u>five</u> of the following:-	
3-a.	Explain the purpose in catalogue. (CO1,K2)	6
3-b.	Discuss Adapter design pattern. (CO1,K2)	6
3-c.	Write the implementation of a Singleton Java class. (CO2,K3)	6
3-d.	Discuss when we can use Builder design pattern. (CO2,K2)	6
3.e.	Differentiate between Bridge pattern and Composite pattern. (CO3,K2)	6
3.f.	Show the implementation of Iterator design pattern. (CO4,K3)	6
3.g.	Write the functioning of the visitor pattern and its importance. (CO5,K3)	6
SECTI	ON-C	50
4. Ansv	ver any <u>one</u> of the following:-	
4-a.	List out the sub patterns of Behavioral patterns and explain any two.(CO1,K2)	10
4-b.	Mention which pattern is used when we need to decouple an abstraction from its implementation. (CO1,K2)	10
5. Ansv	ver any <u>one</u> of the following:-	
5-a.	Explain the structure of the abstract factory design pattern with the UML diagram. (CO2,K2,K3)	10
5-b.	Write the steps to build a builder design pattern in java. (CO2,K3)	10
6. Ansv	ver any one of the following:-	
6-a.	Explain the Structural Design Patterns (SDP). What are the different Structural Design Patterns? (CO3,K2)	10
6-b.	Explain the Composite Design Pattern (CDP) or Tree Pattern.(CO3,K2)	10
7. Ansv	ver any one of the following:-	
7-a.	Define Chain of Responsibility Pattern with its implementation and UML	10
7-b.	diagram. (CO4,K2) Define itrator design pattern? Give example along with UML diagram. (CO4, K3)	10
8. Ansv	ver any <u>one</u> of the following:-	
8-a.	Implement abstract factory design pattern. Draw UML diagram and provide the intent. (CO5,K2) OR	10
8-a.	Define Observer Pattern with its implementation and UML diagram. (CO5,K2)	10
8-b.	Explain Structure of State Design Pattern. (CO5.K2)	